

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/507,336	02/18/2000	Scott C. Anderson	003-005-CP	7956
32746	7590 01/12/2006		EXAMINER	
HOEKENDIJK & LYNCH, LLP P.O. BOX 4787			SHAY, DAVID M	
BURLINGAME, CA 94011-4787			ART UNIT	PAPER NUMBER
			3735	

DATE MAILED: 01/12/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
		09/507,336	ANDERSON			
Office Action Summary		Examiner	Art Unit			
	•	david shay	3735			
	- The MAILING DATE of this communication app					
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) 🖂	Responsive to communication(s) filed on Dece	mber 19, 2005.				
, —	This action is FINAL. 2b)⊠ This action is non-final.					
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
 4) Claim(s) 34-41 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 34-41 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 						
Application	on Papers					
9) The specification is objected to by the Examiner.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority u	nder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notice 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date <u>December 19, 2005</u> .	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

Art Unit: 3735

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Page 2

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on December 19, 2005 has been entered.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 34-36 and 38 rejected under 35 U.S.C. 102(e) as being clearly anticipated by Rittman, III et al.

See Figures 8 and 9 and column 17, line 34 to column 28, line 43, wherein the treatment is ablation, and the temperature or flow of blood is used as one of the controlling parameters of the energy application.

Claims 34, 37, and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rittman, III et al in combination with Swanson et al. Rittman, III et al teaches a method such as claimed except epicardial placement and activation of no more than half the ablating elements. Swanson et al teaches the desirability of ablating on the epicardium and that less than half the total number of electrodes can be used. It would have been obvious to, the artisan of ordinary

Art Unit: 3735

skill to employ the method of Rittman, III et al in the method of Swanson, since this would enable the determination of the state of inflammation and thus the need for treatment of fatty deposits which exist on the epicardium, as taught by Swanson et al or to include the method of Swanson et al in the method of Rittman, III et al, since the method of Swanson et al is applicable to both intravascular and extravascular treatments, thus producing a method such as claimed.

Claim 41 is rejected under 35 UCS.C. 103(a) as being unpatentable over Rittman, III et al in combination with Swanson et al as applied to claims 34, 37, and 40 above, and further in view of Ben Hain et al. Ben Hain teaches drawing tissue into a suction well prior to ablation. It would have been obvious to employ the step of drawing the tissue desired to be ablated into suction surrounding the ablating elements since this allows the catheter to remain stable while the tissue is ablated, thus producing a method such as claimed.

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 34-38, 40, and 41 rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 7 and 8 of U.S. Patent No. 6,971,394.

Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of the patent anticipate the claims of the application. Accordingly, instant

Application/Control Number: 09/507,336

Art Unit: 3735

application claims are not patentably distinct from the patent application claims. Here, the patent application claims require elements A, B, C, and D while instant application claim 1 only requires elements A, B, and C: Thus it is apparent that the more specific patent application claims encompass the instant application claims. Following the rationale in In re Goodman cited in the preceding paragraph, where applicant has once been granted a patent containing a claim for the specific or narrower invention, applicant may not then obtain a second patent with a claim for the generic or broader invention without first submitting an appropriate terminal disclaimer.

Page 4

Claims 34-38, 40, and 41 rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 9 and 10 of U.S. Patent No. 6,805,129. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of the patent anticipate the claims of the application. Accordingly, instant application claims are not patentably distinct from the patent application claims. Here, the patent application claims require elements A, B, C, and D while instant application claim 1 only requires elements A, B, and C. Thus it is apparent that the more specific patent application claims encompass the instant application claims. Following the rationale in In re Goodman cited in the preceding paragraph, where applicant has once been granted a patent containing a claim for the specific or narrower invention, applicant may not then obtain a second patent with a claim for the generic or broader invention without first submitting an appropriate terminal disclaimer.

Claims 34-38, 40, and 41 rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 19, 20, 24, 25, 34, 35, 39, 40, 50, and 51 of U.S. Patent No. 6,645,202. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of the patent anticipate the claims of the

Application/Control Number: 09/507,336 Page 5

Art Unit: 3735

application. Accordingly, instant application claims are not patentably distinct from the patent application claims. Here, the patent application claims require elements A, B, C, and D while instant application claim 1 only requires elements A, B, and C. Thus it is apparent that the more specific patent application claims encompass the instant application claims. Following the rationale in In re Goodman cited in the preceding paragraph, where applicant has once been granted a patent containing a claim for the specific or narrower invention, applicant may not then obtain a second patent with a claim for the generic or broader invention without first submitting an appropriate terminal disclaimer.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to david shay whose telephone number is (571) 272-4773. The examiner can normally be reached on Tuesday through Thursday from 6:30 a.m. to 5:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ali Imam, can be reached on Monday, Tuesday, Wednesday, and Thursday at (571) 272-4740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DAVID M. SHAY PRIMARY EXAMINER GROUP 330